

Steel Cable and Accessories

WARNINGS OPERATION INSTRUCTION INFORMATION



FAILURE TO READ, UNDERSTAND AND FOLLOW THE USE AND INSPECTION INSTRUCTIONS FURNISHED WITH EACH SLING MAY RESULT IN SEVERE PERSONAL INJURY OR DEATH.

IMPORTANT WARNING- All products must be stored, used and maintained in conformity with normal safety practices and OSHA safety standards. Regular inspection of all products is required worn, deformed, or damaged products should be replaced. It is the user's responsibility to determine the proper use of a particular product. Please read and understand all operation instructions, warnings and cautions.

NEVER EXCEED WORKING LOAD LIMIT OF ANY PRODUCT!!!

Based on a straight, in line pull, new product and usual working and environmental conditions. This product should not be used for support of human weight, playground equipment or situations where personal safety or property could be endangered.

IMPORTANT CAUTIONS

Very important cautions that must be observed when using any cable product.

- A. Do not exceed the working load limit of any cable product
- B. Always be familiar with the correct application
- C. Provide regular inspections of all cable products
- D. Avoid shock loads
- E. Keep everyone clear of raised loads
- F. Be aware of unusual environmental or working conditions, they may require reducing the working load limit
- G. Never use galvanized or stainless steel aircraft cables for aircraft applications
- H. Wire rope fittings must be installed over bare cable only and are not to be based on a vinyl coated cable without first stripping off the vinyl coating



1 x 7 Standard Construction



1 x 19 Standard Construction



7 x 7 Standard Construction



7 x 19 Standard Construction

Type	Cable Size (in.)	Working Load Limit(lbs)
Galvanized Cable		
1 x 7	3/64	54
1 x 7	1/16	96
7 x 7	1/16	96
7 x 7	3/32	184
7 x 7	1/8	340
7 x 7	5/32	520
7 x 7	3/16	740
7 x 7	1/4	1220
1 x 19	1/16	100
1 x 19	1/8	420
1 x 19	5/32	660
7 x 19	1/8	400
7 x 19	3/32	200
7 x 19	5/32	560
7 x 19	3/16	840
7 x 19	1/4	1400
7 x 19	5/16	1960
7 x 19	3/8	2880